




# SECURE INFORMATION DISTRIBUTION BETWEEN NODES (NETWORK DEVICES)

Inventors: Michael Roeder, et al.

Atty. Docket No. : 200313511-1

Application No.: 10/812,607




**FIG. 1**

SECURE INFORMATION DISTRIBUTION BETWEEN  
NODES (NETWORK DEVICES)

Inventors: Michael Roeder, et al.

Atty. Docket No. : 200313511-1

Application No.: 10/812,607



**FIG. 2**

SECURE INFORMATION DISTRIBUTION BETWEEN  
NODES (NETWORK DEVICES)

Inventors: Michael Roeder, et al.


Atty. Docket No. : 200313511-1

Application No.: 10/812,607

The diagram shows a table structure within a larger container. The table has three columns: 'Field Name', 'Field Data', and 'Revision Information'. The rows are 'Password', 'Key', and 'Other'. The 'Field Data' column contains values 325, 340, and 355. The 'Revision Information' column contains values 330 and 345. The 'Other' row is empty in the 'Revision Information' column. Labels 175, 300, 305, 310, 315, 320, 335, and 350 point to various parts of the table and its container.

Field Name	Field Data	Revision Information
Password	<u>325</u>	<u>330</u>
Key	<u>340</u>	<u>345</u>
Other	<u>355</u>	

**FIG. 3**




**FIG. 4**

SECURE INFORMATION DISTRIBUTION BETWEEN  
NODES (NETWORK DEVICES)

Inventors: Michael Roeder, et al.

Atty. Docket No. : 200313511-1

Application No.: 10/812,607



**FIG. 5**